

# STEM CELL RESEARCH

## Editor-in-Chief

A. Elefanty  
*Monash University, Monash, Victoria, Australia*

## Deputy Editor-in-Chief

C. Mummery  
*Hubrecht Lab/NIOB, Utrecht, The Netherlands*

## Associate Editors

M. Grompe  
*Oregon Health and Science University, Portland, Oregon, USA*

P. Simmons  
*University of Texas Health Science Center, Houston, Texas, USA*

## Editorial Board

P.W. Andrews  
*University of Sheffield, UK*

P. Bartlett  
*The University of Queensland,  
St Lucia, Queensland, Australia*

N. Benvenisty  
*The Hebrew University of Jerusalem, Israel*

M. Bhatia  
*McMaster University, Ontario, Canada*

R. Boyd  
*Monash University, Monash, Victoria, Australia*

O. Brüstle  
*University of Bonn, Germany*

L. Carlsson  
*Umeå University, Umeå, Sweden*

K. Choi  
*Washington University, St. Louis, MO, USA*

G. Cossu  
*Institute of Cell Biology and Tissue Engineering,  
Rome, Italy*

H. Deng  
*Peking University, Beijing, China*

C. Denning  
*Queen's Medical Centre, Nottingham, UK*

E. Dzierzak  
*Erasmus University Medical Center,  
The Netherlands*

P. Gadue  
*Center for Cellular and Molecular Therapeutics,  
Philadelphia, PA, USA*

P. Gehron Robey  
*National Institute of Dental and Craniofacial  
Research, Bethesda, MD, USA*

T. Graf  
*Center for Genomic Regulation,  
Barcelona, Spain*

R.P. Harvey  
*Victor Chang Cardiac Research Institute,  
Darlinghurst, New South Wales, Australia*

D.W. Kim  
*Yonsei University College of Medicine,  
Seoul, Korea*

G. Lindeman  
*The Walter and Eliza Hall, Institute of Medical  
Research, Parkville, Victoria, Australia*

A. Medvinsky  
*University of Edinburgh, Scotland, UK*

A. Meissner  
*Broad Institute of MIT and Harvard,  
Cambridge, MA*

H. Mikkola  
*University of California, Los Angeles, CA, USA*

M. Pera  
*University of Southern California,  
Los Angeles, CA, USA*

B. Reubinoff  
*Hadassah University Medical Center,  
Jerusalem, Israel*

I. Slukvin  
*University of Wisconsin, Madison,  
WI, USA*

E. Stanley  
*Monash University, Monash, Victoria, Australia*

A. Trounson  
*Monash University, Monash, Victoria, Australia*

L. Vallier  
*Addenbrooke's Hospital, Cambridge, UK*

A. Veiga  
*Center of Regenerative Medicine in Barcelona,  
Barcelona, Spain*

T. Whetton  
*University of Manchester, UK*

P. Zandstra  
*Institute of Biomaterials and Biomedical  
Engineering, Ontario, Canada*

**Cover image:** A section of adult human pancreatic tissue was labeled with anti-islet cell surface marker HPi2 (green), anti-amylase (red) and Hoechst 33342 (blue). The HPi1/2/3 antibodies specifically recognize islet cells, permitting their separation from exocrine and other pancreatic cells and isolation for study.